

**CITY OF SPARTA  
REQUEST BIDS FOR  
EAST SIDE FIRE HALL ROOF**

The City of Sparta Tennessee will receive sealed bids for the installation of a **Roof to be installed on a section of the Sparta Fire Hall** until 2:15 p.m. Thursday February 10<sup>th</sup>, 2022. At that time the bids will be publicly opened and read aloud. Bids are to be addressed to the City Administrator and delivered to the Sparta City Hall, 6 Liberty Square, PO Box 30, Sparta, Tennessee 38583, and must be enclosed in a sealed envelope and must be marked **“Bid for Roof of Fire Hall”** on the front of the envelope. All bids must be signed.

No bid may be withdrawn for thirty (30) days from the date of the bid opening. Purchase orders will be issued only after approved by the Sparta Board of Mayor and Aldermen.

The City of Sparta reserves the right to reject any or all bids, to waive any irregularities in a bid. The City of Sparta reserves the right to accept any part, or all of a bid, or to accept that bid, (or bids) which in the judgment of the Board of Mayor and Alderman of the City of Sparta is in the best interest of the City. The purchaser also reserves the right to require a bidder to submit evidence of qualifications as may be deemed necessary by the City Administrator.

For further information regarding submission of a bid and to obtain bid packages, contact the City Administrator at Sparta City Hall, 6 Liberty Square, PO Box 30, Sparta, Tennessee 38583, telephone (931) 836-3248.

The City of Sparta does not discriminate based on race, color or national origin pursuant to Title VI of the Civil Rights Act of 1964 (42 U.S.C. 2000d).

**CITY OF SPARTA  
REQUEST BIDS FOR  
EAST SIDE FIRE HALL ROOF**

**Fire Hall Roof must meet the following Specifications:**

1. Reroofing Section is a 37' x 50' section of the East Side Fire Hall
2. Set up warning lines and practice proper safety procedures.
3. Tear off and properly dispose of existing EPDM membrane and top layer of ½" wood fiber board. (Leaving the bottom layer of build-up roofing in place.)
4. Mechanically install a new layer of ½" wood fiber board insulation.
5. Install a new fully adhered 60mil TPO roof system.
6. Install new prefinished metal edge. KYNAR 500 paint finish (Color choice by owner)
7. Properly flash all Penetrations.
8. Includes a minimum of a 15-year manufactures warranty.

Does this item meet all specifications for above referenced?\_\_\_\_\_

If "No" please list differences on separate sheet of paper and attach to bid.

Total bid for Reroof for East Side Fire Hall:\$\_\_\_\_\_

Iran Divestment Act Tenn.Code Ann.12-12-106

By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid each party thereto certifies as to its own organization, under penalty of perjury, that to the best of its knowledge and belief that each bidder is not on the list created pursuant to 12-12-106.

Company Name\_\_\_\_\_

Address\_\_\_\_\_

\_\_\_\_\_

Signed \_\_\_\_\_ Print Name\_\_\_\_\_

Phone\_\_\_\_\_ Fax\_\_\_\_\_

Date\_\_\_\_\_

**CITY OF SPARTA  
REQUEST BIDS FOR  
EAST SIDE FIRE HALL ROOF**

**It is requested, but not mandatory that each bidder complete and return this page with bid.**

The City of Sparta does not discriminate based on race, color, or national origin in federal or state sponsored programs, pursuant to Title VI of the Civil Rights Act of 1964 (42 U.S.C 2000d)

For Title VI and IX compliance, it is requested that the following information be voluntarily disclosed and returned with your bid:

GENDER                    \_\_\_\_\_ Male                    \_\_\_\_\_ Female

RACE                    \_\_\_\_\_ Caucasian                    \_\_\_\_\_ African American

\_\_\_\_\_ Other (Please Specify)